Oregon's Weekly Surveillance Summary



Weekly Data Report - January 26, 2022

Table of Contents

Background	2
Weekly Report Summary	3
Clinical Characteristics and risk factors	4
Clinical symptoms and reported risk factors	4
Figure 1. Reported signs and symptoms for all COVID-19 cases	5
Figure 2. Reported symptoms among all COVID-19 cases by week of ons	et6
Figure 3. Reported risk factors among all COVID-19 cases	7
Demographics	7
Geography	8
Figure 4. Case rates per 100,000 population, by county	8
Sex	9
Table 1. Severity and rates of COVID-19 by sex	9
Figure 5. Recent COVID-19 cases by sex and week of onset	10
Figure 6. All COVID-19 cases by sex and week of onset	11
Age	12
Table 2. Severity and rates of COVID-19 by age	12
Figure 7. Recent COVID-19 cases by age and week of onset	13
Figure 8. All COVID-19 cases (counts) by age and week of onset	14
Figure 9. All COVID-19 cases (case rate per 100,000) by age and week of	f onset 15
Race	16
Table 3. Severity and rates of COVID-19 by race	16
Figure 10. Recent COVID-19 cases by race and week of onset	17
Figure 11. All COVID-19 cases (counts) by race and week of onset	18
Figure 12. All COVID-19 cases (case rates per 100,000) by race and weel	
Ethnicity	

OHA 2395 (01/26/22)

Oregon's Weekly Surveillance Summary



Table 4. Severity and rates of COVID-19 by ethnicity	20
Figure 13. Recent COVID-19 cases by ethnicity and week of onset	21
Figure 14. All COVID-19 cases (counts) by ethnicity and week of onset	22
Figure 15. All COVID-19 cases (case rates per 100,000) by ethnicity and week of onset	
Age-adjustment	24
Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by rad	
Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity	25
People with Intellectual and Developmental Disabilities	25
Weekly COVID-19 Hospitalizations (HOSCAP)	26
ZIP code	26

Background

COVID-19 Weekly Report data will be finalized every Sunday at 11 p.m. PST, and the report will be published on Wednesday. Please note that the data reported here are continually being updated. For daily up-to-date information, visit the OHA COVID-19 web page: https://govstatus.egov.com/OR-OHA-COVID-19.

As of 11 p.m. Sunday, January 23, there have been 590,270 cases of COVID-19 reported to the Oregon Health Authority. Of these, 18,106 (3.1%) are "presumptive" cases. This includes people with COVID-19-like symptoms and close contact with a confirmed case, but who did not have a confirmatory laboratory test, and people that self-report at-home tests to public health. Though not confirmed, presumptive cases are highly likely to have COVID-19, given their specific symptoms and known exposure or at-home positive test. If a case later tests positive at a lab, that case will be recategorized as confirmed. If a case tests positive at home, the case will remain presumptive.

OHA 2395 (01/26/22)

Oregon's Weekly Surveillance Summary



These data represent a snapshot of COVID-19 risk factors and clinical and demographic characteristics of cases, and they include data on cases with pending investigations. Not all cases have been interviewed at the time of this report. It is important to note that as of 1/11/2022, case investigation and contact tracing operations have been modified to prioritize outbreaks in high-consequence settings, such as healthcare, congregate care (e.g., nursing homes), corrections and settings related to our food chain. Public health is no longer calling all cases to attempt interview to assess symptoms and risks. The data shown in this report come from Oregon's electronic disease surveillance system for reportable diseases.

During the week of January 16–January 22¹ 288,882 tests for COVID-19 were performed on Oregonians; of these, 24.5% had a positive result.² This figure represents a "test-based" method, whereby all electronic lab reports received by OHA are used to calculate percent positivity.³ Detailed tables of the number of tests and percent positivity can be found online at

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonHe althAuthorityCOVID-19DataDashboard/OregonsCOVID-19ELRsbyCounty.

Errata: Due to a technical issue, a previously posted version of this weekly report had excluded some cases. This version of the report corrects this error and updates all figures and tables.

Weekly Report Summary

During Monday, January 17, through Sunday, January 23, 2022, OHA logged 56,040 new cases of COVID-19 infection—similar to the previous week. Reported test results declined 9.9%, but test positivity rose from 22% to 24.5%. Since December 19—when Omicron has dominated—somewhat higher percentages of cases have been reported among persons <40 years of age than were reported up to that date (63% and 56%, respectively), while the proportion among older age groups has declined. About 13% of Oregonians are Hispanic. Among reported cases with known ethnicity during July 5–

OHA 2395 (01/26/22)

¹ This date range aligns with CDC's "MMWR week."

² Does not include antibody (serology) tests.

³ www.cdc.gov/coronavirus/2019-ncov/lab/resources/calculating-percent-positivity.html

Oregon's Weekly Surveillance Summary



December 19 (when Delta was preponderant), Hispanics accounted for 15% of reported cases. Since that date, they have accounted for 19%.

Six hundred forty-nine Oregonians were hospitalized in association with COVID-19 this week—a 12% increase over the previous week's figure and the highest number since 1,028 were hospitalized during the peak week of the Delta surge (August 30–September 5, 2021). COVID-19-associated deaths fell to 60 this week from 114 the previous week. Of the 590,270 cases reported in Oregon to date, 23,988 (4.1%) have been hospitalized, and 5,953 (1.0%) have died. COVID-19-associated deaths remain rare among the young: over the past 4 months none have been reported in persons <20 years old. Data on mortality in Oregon, including deaths associated with COVID-19, are available at https://public.tableau.com/profile/oha.center.for.health.statistics.

Additional data are available at

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCO VID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicData.

Clinical Characteristics and risk factors

This section of the report describes the epidemiology of Oregon's COVID-19 cases, including common symptoms experienced by COVID-19 cases, and demographic breakdowns for sex, age, race, and ethnicity. Indicators of disease severity, specifically hospitalizations and deaths, are included in the tables.

Clinical symptoms and reported risk factors

Figure 1 provides information on signs and symptoms from all COVID-19 cases. Of 590,270 cases, 226,769 (38.4%) reported having signs and symptoms of COVID-19. The most commonly reported symptoms are cough (n=122,949, 20.8%) and headache (n=96,993, 16.4%). Figure 2 provides information on the percentage of COVID-19 cases that report symptoms over time. Figure 3 provides information on risk factors from all COVID-19 cases. The most common risk factors are having contact with a known COVID-19 case prior to symptom onset (n=171,540, 29.1%) and having underlying medical conditions (n=427,217, 72.4%). Note that a person may report more than one sign/symptom or risk factor. Where displayed by week in this report, case data are categorized by week of reported symptom onset, not by date of case report. This results in reduced numbers in the most recent week or more due to reporting lags.

OHA 2395 (01/26/22)

Oregon's Weekly Surveillance Summary



Figure 1. Reported signs and symptoms for all COVID-19 cases

Any symptoms -		38.4			56.7			4.9
Cough-	20.8	20.8 70.1			70.1			.1
Headache-	16.4		74.8					.8
Aches-	15.3			74.8		9.9		
Runny nose -	12.9			75.3			11.	.8
Loss of smell-	12.9			72.9			14.3	3
Fever-	11.6			72.4			16	
Sore throat-	11			75.5			13.	5
Chills -	10.7			76.7		12.6		
Shortness of Breath -	7.9		72.9			19.2		
Nausea-	6			7.1		16.9		
Diarrhea-				5.9		17.3		
Abdominal Pain -	_		77.9			19.1 20.3		
Vomiting -			77.5					
Pneumonia-	.2		76.3			2	22.5	
Abnormal X-Ray-			81.4				17.6	
ARDS-			81.3				18.3	
Ventilator-	3		81.3				18.5	
Ċ) 10	0,000	200,000	300,000	400,000	500,0	00	600,0
			Yes	Unknow	/n 📕 No			



Oregon's Weekly Surveillance Summary




Figure 2. Reported symptoms among all COVID-19 cases by week of onset

OHA 2395 (01/26/22)

Data are provisional and subject to change.

Heal

Oregon's Weekly Surveillance Summary




Figure 3. Reported risk factors among all COVID-19 cases

Risk factor definitions:

- Congregate living situations include, but are not limited to, long-term care facilities, group homes, prisons, and shelters. Data include people with confirmed cases who live or work in congregate living situations.
- Direct patient care is only asked if a case is a healthcare worker or volunteer. The denominator is the number of healthcare workers or volunteers.
- Underlying medical conditions include cardiovascular disease, chronic liver disease, chronic lung disease, chronic renal disease, current or former smoker, diabetes mellitus, immunocompromised condition, neurologic and neurodevelopmental conditions, obesity, or other chronic diseases.

Demographics

The following tables and figures show the demographic characteristics for all COVID-19 cases. The tables show case counts, case rates, and indicators of severity by sex, age,

OHA 2395 (01/26/22)

Oregon's Weekly Surveillance Summary




race and ethnicity. The figures show cases over time, by week of onset, for sex, age, race, and ethnicity. Figure 4 displays case rates by county, in comparison to the case rate for all of Oregon.

Geography

The following figure shows case rates by county for the most recently completed MMWR week, which is currently January 16 to January 22, 2022. Cases are displayed using the date that the case became known to public health.





OHA 2395 (01/26/22)

Oregon's Weekly Surveillance Summary



- 1. Counties that had case rates above the case rate for the state are displayed in orange. Counties that had case rates below the case rate for the state are displayed in blue.
- 2. Counties that had zero cases in the time period displayed appear on the list, but do not have a bar to display.

Sex

Sex	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
Female	300,200	50.9	13,879.3	11,271	3.8	2,650	0.9
Male	275,158	46.6	13,070.9	12,542	4.6	3,264	1.2
Non-Binary	56	0.0		0	0.0	0	0.0
Not Available	14,856	2.5		175	1.2	39	0.3
Total	590,270	100.0	13,830.0	23,988	4.1	5,953	1.0

Table 1. Severity and rates of COVID-19 by sex

1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).



Oregon's Weekly Surveillance Summary



Figure 5. Recent COVID-19 cases by sex and week of onset

OHA 2395 (01/26/22)

Data are provisional and subject to change.

Oregon

Oregon's Weekly Surveillance Summary




Figure 6. All COVID-19 cases by sex and week of onset

OHA 2395 (01/26/22)

Data are provisional and subject to change.

}

Oregon

Oregon's Weekly Surveillance Summary

Health

Age

Table 2. Severity and rates of COVID-19 by age


Age group	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
0-9	50,550	8.6	10,780.6	341	0.7	2	0.0
10-19	71,519	12.1	14,172.6	420	0.6	3	0.0
20-29	115,521	19.6	20,977.4	1,423	1.2	30	0.0
30-39	104,684	17.7	17,660.1	1,937	1.9	91	0.1
40-49	86,554	14.7	16,041.7	2,573	3.0	248	0.3
50-59	69,274	11.7	12,976.9	3,705	5.3	555	0.8
60-69	48,181	8.2	8,797.1	4,934	10.2	1,121	2.3
70-79	27,122	4.6	7,708.3	4,679	17.3	1,454	5.4
80+	15,714	2.7	8,821.5	3,969	25.3	2,449	15.6
Not Available	1,151	0.2		7	0.6	0	0.0
Total	590,270	100.0	13,830.0	23,988	4.1	5,953	1.0

1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).



Oregon's Weekly Surveillance Summary







OHA 2395 (01/26/22)

Oregon's Weekly Surveillance Summary




Figure 8. All COVID-19 cases (counts) by age and week of onset

OHA 2395 (01/26/22)

Data are provisional and subject to change.

Heal

Oregon's Weekly Surveillance Summary




Figure 9. All COVID-19 cases (case rate per 100,000) by age and week of onset

OHA 2395 (01/26/22)

Data are provisional and subject to change.

Heal

Oregon's Weekly Surveillance Summary

Health

Race

Table 3. Severity and rates of COVID-19 by race

Race	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
> 1 race	6,991	1.2	3,410.4	331	4.7	75	1.1
American Indian/Alaska Native	8,950	1.5	18,019.3	486	5.4	100	1.1
Asian	15,147	2.6	8,116.3	562	3.7	106	0.7
Black	13,748	2.3	16,907.5	783	5.7	103	0.7
Not Available	158,550	26.9		2,994	1.9	1,134	0.7
Other	76,460	13.0		2,900	3.8	423	0.6
Pacific Islander	2,485	0.4	14,463.2	210	8.5	29	1.2
White	307,939	52.2	8,559.9	15,722	5.1	3,983	1.3
Total	590,270	100.0	13,830.0	23,988	4.1	5,953	1.0

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).
- 3. Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.
- 4. 54,971 (71.9%) of the 76,460 persons who identify as "Other" race also selfidentify as Hispanic or Latino.

Oregon's Weekly Surveillance Summary




Figure 10. Recent COVID-19 cases by race and week of onset

OHA 2395 (01/26/22)

Data are provisional and subject to change.

Oregon

Oregon's Weekly Surveillance Summary




Figure 11. All COVID-19 cases (counts) by race and week of onset

OHA 2395 (01/26/22)

Data are provisional and subject to change.

Heal

Oregon's Weekly Surveillance Summary






Figure 12. All COVID-19 cases (case rates per 100,000) by race and week of onset

OHA 2395 (01/26/22)

Oregon's Weekly Surveillance Summary

Health

Ethnicity

Table 4. Severity and rates of COVID-19 by ethnicity

Ethnicity	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality rate
Hispanic	85,261	14.4	15,366.6	2,984	3.5	370	0.4
Not Hispanic	294,294	49.9	7,925.6	15,033	5.1	3,572	1.2
Unknown	210,715	35.7		5,971	2.8	2,011	1.0
Total	590,270	100.0	13,830.0	23,988	4.1	5,953	1.0

1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).



Oregon's Weekly Surveillance Summary




Figure 13. Recent COVID-19 cases by ethnicity and week of onset

OHA 2395 (01/26/22)

Data are provisional and subject to change.

Oregon

Oregon's Weekly Surveillance Summary




Figure 14. All COVID-19 cases (counts) by ethnicity and week of onset

OHA 2395 (01/26/22)

Data are provisional and subject to change.

}


Oregon



Oregon's Weekly Surveillance Summary



Figure 15. All COVID-19 cases (case rates per 100,000) by ethnicity and week of onset



Oregon's Weekly Surveillance Summary



Age-adjustment

Tables 5 and 6 show the ratio of age-adjusted rates of COVID-19 for cases, hospitalizations, and deaths by race and ethnicity. Each table compares the rates of cases, hospitalizations, and deaths between each group and a reference group and accounts for differences in population distributions in each group.

Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to white persons.

Race	Cases	Hospitalizations	Deaths
> 1 race	0.4	0.8	1.0
American Indian/Alaska Native	2.0	2.7	2.8
Asian	0.9	0.9	0.8
Black	1.9	3.1	2.2
Pacific Islander	1.6	4.8	4.8
White	1.0	1.0	1.0

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
- 3. Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.

Oregon's Weekly Surveillance Summary



Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to non-Hispanic.

Ethnicity	Cases	Hospitalizations	Deaths
Hispanic	1.7	2.3	2.1
Non-Hispanic	1.0	1.0	1.0

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
- 3. Persons for which ethnicity information was not available were not included in these estimates. The number of persons with ethnicity data unavailable can be found in Table 4.

People with Intellectual and Developmental Disabilities

As of January 9, 2022 OHA is aware of 2,397 people with intellectual or developmental disabilities who have had COVID-19 to date. This includes individuals who live in congregate settings and in family or individual homes. To date, there are 49 deaths among people with intellectual or developmental disabilities. This number is from conducting a match between the ODHS Office of Developmental Disabilities Services client list and the Oregon COVID-19 case database. OHA will update this number on a quarterly basis.

Additional information about the ODDS program and COVID-19 can be found here: https://www.oregon.gov/dhs/SENIORS-DISABILITIES/DD/ODDS%20Resource%20Library/ODDS-Residential-COVID-19-Report.pdf.

OHA 2395 (01/26/22)

Oregon's Weekly Surveillance Summary



ODDS data is based on self-reports from providers and case management entities and therefore may differ from testing data received from the Oregon Health Authority.

Weekly COVID-19 Hospitalizations (HOSCAP)

OHA is publishing data on the number of COVID-19 hospitalizations by hospital in the prior week; data are from HOSCAP. Maps and tables containing the 7-day average of hospitalizations by region and hospital are available online at: https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19HospitalCapacity/HospitalizationbyFacility.

Information on Oregon's current hospital bed capacity by region is available online at: https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVI D-19HospitalCapacity/BedAvailabilitybyRegion.

ZIP code

OHA is publishing data on cases at the ZIP code level, available online at:

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCO VID-19CasesbyZIPCode/OregonsCOVID-19CasesbyZipCode?publish=yes.

Summary table of all zip codes available here:

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCO VID-19CasesbyZIPCode-SummaryTable/CasesbyZIPCodeSummaryTable?publish=yes.

Document accessibility: For individuals with disabilities or individuals who speak a language other than English, OHA can provide information in alternate formats such as translations, large print, or braille. Contact the Health Information Center at 1-971-673-2411, 711 TTY or COVID19.LanguageAccess@dhsoha.state.or.us.

OHA 2395 (01/26/22)